According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Issue Date: 04-15-2022 Revision: 00 Revision Date: N/A

Dental Water Additive

1. Identification

Product Identifier

Product name: Dental Water Additive for Dogs & Cats

Recommended Use of the Product and restriction on use

Relevant identified uses: Veterinary water additive Uses advised against: No information available Reasons why uses are advised against: N/A

Manufacturer or supplier details

Distributor: **United States** Stratford Pharmaceuticals 2600 Lake Pointe Parkway Odessa, FL 34556

Emergency telephone number:

877-498-2002

United States

CHEMTREC 1-800-424-9300 (24 hours)

2. Hazard(s) Identification

GHS classification:

The product is not classified according to current regulation.

Label Elements:

Hazard pictograms: Not required

Signal word: Not required

Hazard statement: Not required

Precautionary statements:

P102: Keep out of reach of children

P103: Read carefully and follow all instructions

P501: Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified: N/A

22068-SDS-TAHWA Page **1** of **10**

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Issue Date: 04-15-2022 Revision: 00 Revision Date: N/A

Dental Water Additive

3. Composition/Information on Ingredients

The product does not contain any classified substances.

Additional information:

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of the OSHA Hazard Communication Standard (29 CFR 1910.1200).

4. First Aid Measures

Description of first aid measures:

General notes:

In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.

Show this safety data sheet to the doctor in attendance.

After inhalation:

If inhaled, remove to fresh air. Get medical attention if symptoms occur.

After skin contact:

Wash with water and soap as a precaution. Remove contaminated clothing as washing proceeds. Chemical burns must be treated by a physician. Get medical attention if symptoms occur.

After eve contact:

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes, holding eye open. If easy to do, remove contact lens, if worn. Get medical attention.

After swallowing:

If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water. If vomiting occurs, keep head low so that stomach contents do not get into the lungs.

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects: N/A
Delayed symptoms and effects: N/A

22068-SDS-TAHWA Page **2** of **10**

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Issue Date: 04-15-2022 Revision: 00 Revision Date: N/A

Dental Water Additive

Immediate medical attention and special treatment

Specific Treatment:

N/A

Notes for the doctor:

Treat symptomatically and supportively.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:

Alcohol-resistant foam, carbon dioxide; extinguishing powder, water mist

Unsuitable extinguishing media:

None known

Specific hazards during firefighting:

Irritating and highly toxic gases may be generated by thermal decomposition or combustion. Carbon monoxide (CO), Carbon Dioxide (CO2)

Special protective equipment for firefighters:

Wear self-containing breathing apparatus for firefighting if necessary. Use recommended personal protective equipment.

Special precautions: N/A

6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures:

Use rubber gloves, goggles, safety shoes and lab coat. Remove contaminated clothing and wash hands between breaks and at end of duty hours. Locate eye washes and emergency showers in all work and storage areas.

Environmental precautions:

Prevent further leaking or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. Prevent entry into waterways, sewers, basements, or confined areas.

22068-SDS-TAHWA Page **3** of **10**

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Issue Date: 04-15-2022 Revision: 00 Revision Date: N/A

Dental Water Additive

Methods and material for containment and cleaning up:

Remove all potential ignition sources. Contain spilled material. Cover with an inert or noncombustible inorganic absorbent material, sweep up and remove to an approved disposal container. Observe state, federal, and local disposal regulations. Keep in suitable, closed containers for disposal.

Reference to other sections:

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. Handling and Storage

Precautions for safe handling:

Use in well ventilated areas. Avoid contact with eyes. Wear personal protective equipment. Material can be slippery underfoot.

Conditions for safe storage, including any incompatibilities:

Keep away from drains, soils, surface, and ground waters. Store in tightly closed original container when not in use. Storage area should be a cool, dry, well-ventilated area. Keep away from ignition sources and naked flames. Store according to hazard classification.

8. Exposure Controls / Personal Protection

Occupational exposure limit values:

Not determined.

Biological limit values:

Not determined.

Information on monitoring procedures:

N/A

Appropriate engineering controls:

Use normal precautionary measures for handling chemicals. Ensure adequate ventilation, especially in confined areas.

Personal protection equipment

Eye and face protection:

Wear safety glasses as a minimum, preferably chemical goggles.

22068-SDS-TAHWA Page **4** of **10**

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Issue Date: 04-15-2022 Revision: 00 Revision Date: N/A

Dental Water Additive

Skin and body protection:

Wear chemically resistant gloves, safety shoes, and protective clothing.

Respiratory protection:

Where adequate ventilation is not available, an air respirator or suitable respiratory equipment should be worn.

General hygienic measures:

Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance:Clear, colorless liquidOdor:No discernable odorOdor threshold:No data available

pH: 6.0 - 8.5

Melting point/Freezing point: No data available Initial boiling point/range: No data available Flash point (closed): No data available **Evaporation rate:** No data available Flammability (solid, gas): Not applicable **Upper flammability/explosive limit**: No data available No data available Lower flammability/explosive limit: Vapor pressure: No data available Vapor density: No data available Density: 1.000 g/mL

Solubilities: Water soluble Partition coefficient (n-octanol/water): No data available **Auto/Self-ignition temperature:** No data available **Decomposition temperature:** No data available **Dynamic viscosity:** No data available Kinematic viscosity: No data available **Explosive properties:** No data available Oxidizing properties: No data available

Other information

None

22068-SDS-TAHWA Page **5** of **10**

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Issue Date: 04-15-2022 Revision: 00 Revision Date: N/A

Dental Water Additive

10. Stability and Reactivity

Reactivity:

Stable and non-reactive under normal conditions of use, storage, and transport.

Chemical stability:

Stable under recommended storage conditions.

Possibility of hazardous reactions:

No data available

Conditions to avoid:

Contact with incompatible materials. Heat.

Incompatible materials:

Strong oxidizing agents. Acids, Hydrofluoric Acid, Nitric Acid, Iodides, Albumin

Hazardous decomposition products:

Thermal decomposition can lead to release of irritating gases and vapors. Carbon oxides.

11. Toxicological Information

Acute toxicity:

Assessment:

Not classified based on available information.

Product data:

No available data on the product.

Substance data:

No available data on the product.

Skin corrosion/irritation

Assessment:

Not classified based on available information.

Product data:

No available data on the product.

Substance data:

No available data on the product.

22068-SDS-TAHWA Page **6** of **10**

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Issue Date: 04-15-2022 Revision: 00 Revision Date: N/A

Dental Water Additive

Serious eye damage/irritation

Assessment:

Not classified based on available information.

Product data:

No available data on the product.

Substance data:

No available data on the product.

Respiratory or skin sensitization

Assessment:

Not classified based on available information

Product data:

No available data on the product.

Substance data:

No available data on the product.

Carcinogenicity

Assessment:

Not classified based on available information

Product data:

No available data on the product.

Substance data:

No available data on the product.

Germ Cell mutagenicity

Assessment:

Not classified based on available information

Product data:

No available data on the product.

Substance data:

No available data on the product.

Reproductive toxicity

Assessment:

Not classified based on available information.

Product data:

No available data on the product.

Substance data:

No available data on the product.

Specific target organ toxicity (single exposure)

Assessment:

Not classified based on available information.

Product data:

No available data on the product.

22068-SDS-TAHWA Page **7** of **10**

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Issue Date: 04-15-2022 Revision: 00 Revision Date: N/A

Dental Water Additive

Substance data:

No available data on the product.

Specific target organ toxicity (repeated exposure)

Assessment:

Not classified based on available information.

Product data:

No available data on the product.

Substance data:

No available data on the product.

Aspiration toxicity

Assessment:

Not classified based on available information.

Product data:

No available data on the product.

Substance data:

No available data on the product.

Information on likely routes of exposure: N/A

Symptoms related to the physical, chemical, and toxicological characteristics: N/A

Other information: N/A

12. Ecological Information

Acute (short-term) toxicity

Assessment:

Not classified based on available information.

Product data:

No available data on the product.

Substance data:

No available data on the product.

Chronic (long-term) toxicity

Assessment:

Not classified based on available information.

Product data:

No available data on the product.

Substance data:

No available data on the product.

Persistence and degradability

Product data:

No available data on the product.

22068-SDS-TAHWA Page **8** of **10**

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Issue Date: 04-15-2022 Revision: 00 Revision Date: N/A

Dental Water Additive

Substance data:

No available data on the product.

Bioaccumulative potential

Product data:

No available data on the product.

Substance data:

No available data on the product.

Mobility in soil

Product data:

No available data on the product.

Substance data:

No available data on the product.

Results of PBT and vPvB assessment

Product data:

No available data on the product.

Substance data:

No available data on the product.

Other adverse effects:

N/A

13. Disposal considerations

Disposal methods:

Dispose of in accordance with local regulations.

Contaminated packages:

Dispose of in accordance with local regulations.

14. Transportation information

United States transportation of dangerous goods (49 CFR DOT)

Non-regulated

International Maritime Dangerous Goods (IMDG)

Non-regulated

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

Non-regulated

22068-SDS-TAHWA Page **9** of **10**

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Issue Date: 04-15-2022 Revision: 00 Revision Date: N/A

Dental Water Additive

15. Regulatory Information

United States Regulations

Inventory listing (TSCA): All the ingredients are listed or exempt.

Significant New Use Rule (TSCA section 5): None of the ingredients are listed.

Export notification under TSCA section 12(b): None of the ingredients are listed.

SARA section 302 extremely hazardous substances: None of the ingredients are listed.

SARA section 313 toxic chemicals: None of the ingredients are listed.

CERLA: None of the ingredients are listed. **RCRA**: none of the ingredients are listed.

Massachusetts Right to Know: No ingredients are listed
New Jersey Right to Know: No ingredients are listed
New York Right to Know: No ingredients are listed
Pennsylvania Right to Know: No ingredients are listed
California Proposition 65: None of the ingredients are listed

16. Other Information

DISCLAIMER

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

22068-SDS-TAHWA Page **10** of **10**